



PUSH WIRE® connectors for junction boxes for solid conductors up to 4 mm²; 6-conductor terminal block; Brown clear housing; brown cover

Item No.: 773-606



PUSH WIRE® connectors for junction boxes for solid conductors up to 4 mm²; 6-conductor terminal block; Brown clear housing; brown cover

Marking

RoHS ✓
Compliant

Business data

Supplier	WAGO
Item no.	773-606
GTIN / EAN	4055143088671
Content	1
Order amount	50
Customer item number	

Notes

Technical data


Miscellaneous

Total number of connection points	4
Total number of potentials	1
Rated voltage (II / 2) [V]	400 [V]
Rated impulse voltage (II / 2) [kV]	4 [kV]
Rated current [A]	32 [A]

Technical data	
Connection technology	PUSH WIRE®
Number of connection points connector	4
Actuation type	Push-in
Connectable conductor materials	Copper
Solid conductor	1.5 ... 4 mm ²
Strip length	12 mm / 0.47 Inch
Type of wiring	Side-entry wiring
Weight [g]	3.53 [g]
Width	9.2 mm / 0.362 Inch
Height	13.1 mm / 0.516 Inch
Depth	19.5 mm / 0.768 Inch

Images & drawings





Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.